### OKU Pool Solar Heating Systems German Quality



### OKU Absorber Panels from Germany

Price per unit



1000 OKU absorber with integrated collecting pipe d 40 mm and two hose couplings d 25 mm Dimension 1320 mm x 820 mm Collecting area 1.08 m<sup>2</sup>

THB 4,140.-



1001 OKU absorber with four hose couplings d 25 mm Dimension 1280 mm x 820 mm Collecting area 1.05 m<sup>2</sup>

THB 4,140.-







1002 OKU absorber with 2 integrated collecting pipes THB 4,140.-d 40 mm
Dimension 1360 mm x 820 mm
Collecting area 1.12 m<sup>2</sup>







#### Connecting Hoses

Price per unit (not incl. VAT)



2011 Connecting hose 38 x 5 x 60 mm with 2 stainless steel hose clamp

THB 147.-

2012 Connecting hose 25 x 3 x 63 mm with 2 stainless steel hose clamp

THB 129.-

# Accessories for OKU Pool Solar Heating Systems




#### Roof Mounting Parts for OKU Absorber

Price per unit (not incl. VAT)



MOUNT Mounting screw (stainless), rubber and washer, THB 34.to install OKU absorber panels to the aluminium frame (you need 8 mounting screw set for each absorber panel)

Two-Way and Tl	hree-W	ay Ball Valves from PRAHER (Austria)	Price per unit (not incl. VAT)
	3024	Two-way ball valve, size d 50 mm, PVC, operation with electric motor 12V - 230V	THB 13,026
	3026	Two-way ball valve, size d 63 mm, PVC, operation with electric motor 12V - 230V	THB 15,612
	3004	Three-way ball valve, size d 50 mm, PVC, operation with electric motor 12V - 230V	THB 14,533
	3005	Three-way ball valve, size d 63 mm, PVC, operation with electric motor 12V - 230V	THB 19,285







## Accessories for OKU Pool Solar Heating Systems



#### Difference-Temperature Regulator - Solar Controller

Price per unit



#### 600100 OKU Suncontrol

THB 9,494.-

difference-temperature regulator with adjustable difference temperature, maximal temperature limit, illuminated display 20 x 40 mm with permanent display of the absorbers and/or swimming pool temperature. Indicates the operating states through pictograms in the display.

Power supply 230 VAC / 1.5 VA, 5 Sensor contacts, 3 switching contacts 10 A. Safety class IP40. Including 1 silicon contact sensor PT 1000, 1 underwater sensor PT 1000 with 1.5 m cable incl. underwater bushing



700349 OKU Minicontrol

THB 5,812.-

simple difference-temperature regulator with adjustable difference temperature, complete with sensors



700351 PAUSCH Digisol from Austria

THB 11,988.-

difference-temperature regulator with large digital display and maximal temperature limit, complete with sensors

700348 External absorber sensor

THB 1,663.-

700347 Underwater sensor

with underwater bushing 1/2"

THB 2,881.-

700347-1 Underwater sensor

without underwater bushing 1/2"

THB 1,406.-

We reserve the right to make changes, including change in price, material and equipment, description, terms, etc. at any time without further notice.







